



DELTA POLYMERS

Phone (586) 795-2900 Fax (586) 795-2906

Technical Data Sheet

TPE 101-70A

Thermoplastic Elastomer, 70 Shore A Hardness

Typical Compound Properties	Value / Measure		Test Methods
-----------------------------	-----------------	--	--------------

Physical Properties	English Units (ISO)	Metric Units	
Density	0.97 g/cm ³	0.97 g/cm ³	ASTM D-792
Hardness, Shore	70 A	70 A	ASTM D-2240

Mechanical Properties			
Tensile Strength	1,125 psi	8 MPa	ASTM D-412
Elongation @ Break	415 %	415 %	ASTM D-412

General Product Type Information			
Flammability	@ .125	HB	
FMVSS 302	in/min	<4	

The property values listed above have been obtained using laboratory controlled test methods. They are offered without guarantee since conditions under which the product is used are beyond our control. Therefore, Delta Polymers disclaims any liability for loss or damage incurred in connection with the use of this product.

6685 Sterling Drive North, Sterling Heights, MI 48312-4559